



## SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

## Soft Wax

Revision 0

Revision date 2013-08-23

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name	Soft Wax
--------------	----------

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Description	Furniture polish.
-------------	-------------------

## 1.3. Details of the supplier of the safety data sheet

Company	HORIZON PRODUCTS LLP
Address	Unit 6 Churchill Industrial Estate Chainbridge Road Blaydon Tyne & Wear NE21 5AB United Kingdom
Telephone	0191 414 5556
Fax	0871 594 2973
Email	enquiries@horizon-products.co.uk
Email address of the competent person	enquiries@horizon-products.co.uk

## 1.4. Emergency telephone number


Emergency telephone number	0191 414 5556 8am to 4.30pm
----------------------------	--------------------------------

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	Xn; R65 R10-66-67
Main hazards	Symbols: Xn: Harmful. Flammable. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

## 2.2. Label elements

Symbols	Xn: Harmful. 
Risk phrases	R10 - Flammable. R65 - Harmful: may cause lung damage if swallowed. R66 - Repeated exposure may cause skin dryness or cracking. R67 - Vapours may cause drowsiness and dizziness.
Safety phrases	S62 - If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

## Soft Wax

Revision 0

Revision date 2013-08-23

## 2.3. Other hazards

Other hazards	No data available.
---------------	--------------------

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Naphtha petroleum hydrotreated heavy		64742-48-9	265-150-3		70 - 80%	Xn; R65 R10-66-67

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	DO NOT INDUCE VOMITING.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Vapours may cause drowsiness and dizziness.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin. Repeated exposure may cause skin dryness or cracking.
Ingestion	Ingestion may cause nausea and vomiting. Harmful: may cause lung damage if swallowed.

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
Eye contact	Seek medical attention.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions. In case of fire, use alcohol resistant foam. Do NOT use water jet.
--	--

## 5.2. Special hazards arising from the substance or mixture

	Flammable. Burning produces irritating, toxic and obnoxious fumes.
--	--

## 5.3. Advice for firefighters

	Wear self contained breathing apparatus and protective clothing. Cool fire exposed containers with waterspray. Do not allow runoff water to enter sewers or drains.
--	---

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Eliminate all sources of ignition. Avoid contact with skin and eyes.
--	---

## 6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

## 6.3. Methods and material for containment and cleaning up

	Sweep up. Transfer to suitable, labelled containers for disposal. Dispose of in compliance with all local and national regulations.
--	---

## Soft Wax

Revision 0

Revision date 2013-08-23

## 6.4. Reference to other sections

	See section 13. DISPOSAL CONSIDERATIONS for further information.
--	--

**SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing. Provide eye wash station. Take precautionary measures against static discharges.
--	---

## 7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. Keep away from sources of ignition - No smoking. Keep away from incompatible materials.
--	--

## 7.3. Specific end use(s)

	Furniture polish.
--	-------------------

**SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

	Occupational exposure controls.
--	---------------------------------

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

	Ensure adequate ventilation of the working area.
--	--

## 8.2.2. Individual protection measures

	Wear protective clothing.
--	---------------------------

## Eye / face protection

	Approved safety goggles.
--	--------------------------

## Skin protection -

	Chemical resistant gloves (PVC).
--	----------------------------------

## Handprotection

## Respiratory protection

	In case of insufficient ventilation, wear suitable respiratory equipment.
--	---

## Occupational exposure controls

	Keep away from food, drink and animal feedingstuffs.
--	--

**SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

## Soft Wax

Revision 0

Revision date 2013-08-23

## 9.1. Information on basic physical and chemical properties

State	Paste/Solid
Colour	White
Odour	Characteristic
pH	No data available
Melting point	No data available
Freezing Point	No data available
Boiling point	145 - 200 °C
Flash point	33 °C
Evaporation rate	No data available
Flammability limits	No data available
Vapour Flammability	No data available
Upper Explosive Limit	8 %
Lower Explosive Limit	0.6 %
Vapour pressure	No data available
Vapour density	No data available
Partition coefficient	No data available
Autoignition temperature	≈ 230 °C
Viscosity	No data available
Explosive	No data available
Oxidising	No data available
Relative density	No data available
Fat Solubility	No data available
Solubility	Insoluble in water

## 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	≈ 0.8
Gas group	No data available

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

Stable under normal conditions.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No data is available on this product.

## 10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition.

## 10.5. Incompatible materials

Oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Carbon oxides.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity	Harmful: may cause lung damage if swallowed. Ingestion may cause nausea and vomiting. Vapours may cause drowsiness and dizziness. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. May cause dizziness and headache. Inhalation is irritating to the respiratory tract and may cause damage to the central nervous system.
----------------	--

## Soft Wax

Revision 0

Revision date 2013-08-23

## 11.1. Information on toxicological effects

Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Repeated or prolonged exposure	Repeated exposure may cause skin dryness or cracking. Repeated or prolonged exposure may cause dermatitis.

## 11.1.4. Toxicological Information

Naphtha petroleum hydrotreated heavy	Oral Rat LD50: >5000 mg/kg	Dermal Rabbit LD50: >3000 mg/kg
--------------------------------------	----------------------------	---------------------------------

## SECTION 12: Ecological information

## 12.1. Toxicity

	No data available
--	-------------------

## 12.2. Persistence and degradability

	Readily biodegradable.
--	------------------------

## 12.3. Bioaccumulative potential

	Bioaccumulative potential.
--	----------------------------

## 12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

## 12.5. Results of PBT and vPvB assessment

	No data is available on this product.
--	---------------------------------------

## 12.6. Other adverse effects

	No data is available on this product.
--	---------------------------------------

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

	Dispose of in compliance with all local and national regulations.
--	---

## SECTION 14: Transport information

## Hazard pictograms

	
--	---

## 14.1. UN number

	UN1268
--	--------

## 14.2. UN proper shipping name

	PETROLEUM PRODUCTS, N.O.S. (Naphtha Petroleum Hydrotreated Heavy)
--	---

## 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

## 14.4. Packing group

Packing group	III
---------------	-----

## 14.5. Environmental hazards

--	--

## Soft Wax

Revision 0

Revision date 2013-08-23

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## 14.6. Special precautions for user

	No data is available on this product.
--	---------------------------------------

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

	No data is available on this product.
--	---------------------------------------

## ADR/RID

Hazard ID	33
Tunnel Category	(D/E)

## IMDG

EmS Code	F-E S-E
----------	---------

## IATA

Packing Instruction (Cargo)	364
Maximum quantity	60 L
Packing Instruction (Passenger)	353
Maximum quantity	5 L

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	<p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
-------------	--

## 15.2. Chemical safety assessment

	Not determined.
--	-----------------

## SECTION 16: Other information

## Other information

Text of risk phrases in Section 3	<p>R10 - Flammable</p> <p>R65 - Harmful: may cause lung damage if swallowed.</p> <p>R66 - Repeated exposure may cause skin dryness or cracking.</p> <p>R67 - Vapours may cause drowsiness and dizziness.</p>
-----------------------------------	--

## Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--